	Type	L #	Hits	Search Text	DBs
1	BRS	L1	14	((dummy near2 gate) near4 (select$4 near2 ((mosfet or (metal adj oxide adj semiconducor adj (fet or field)) or pmos or cmos or nmos or misfet) or transistor))) and (@ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	132662	((etch$4 or strip$4) near4 (after or subsequent$4) (grow$4 or form$4 or deposit$4) near4 gate near2 (oxide or dielectric or insulator) (select$4 near2 ((mosfet or (metal adj oxide adj semiconducor adj (fet or field)) or pmos or cmos or nmos or misfet) or transistor))) and (@ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	17445	((etch$4 or strip$4) near4 (after or subsequent$4) near4 (grow$4 or form$4 or deposit$4) near4 gate near2 (oxide or dielectric or insulator) (select$4 near2 ((mosfet or (metal adj oxide adj semiconducor adj (fet or field)) or pmos or cmos or nmos or misfet) or transistor))) and (@ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
4	BRS	L4	0	((etch$4 or strip$4) near4 (after or subsequent$4) near4 (grow$4 or form$4 or deposit$4) near4 gate near2 (oxide or dielectric or insulator) near4 (select$4 near2 ((mosfet or (metal adj oxide adj semiconducor adj (fet or field)) or pmos or cmos or nmos or misfet) or transistor))) and (@ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	2	((etch$4 or strip$4) near8 (after or subsequent$4) near8 (grow$4 or form$4 or deposit$4) near8 gate near8 (oxide or dielectric or insulator) near8 (select$4 near2 ((mosfet or (metal adj oxide adj semiconducor adj (fet or field)) or pmos or cmos or nmos or misfet) or transistor))) and (@ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	21	((etch$4 or strip$4) same (after or subsequent$4) same (grow$4 or form$4 or deposit$4) near16 gate near4 (oxide or dielectric or insulator) near8 (select$4 near2 ((mosfet or (metal adj oxide adj semiconducor adj (fet or field)) or pmos or cmos or nmos or misfet) or transistor))) and (@ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
7	BRS	L7	1	((etch$4 or strip$4) near8 (open$4 or hole or space or trench) near8 (grow$4 or form$4 or deposit$4) near4 gate near4 (oxide or dielectric or insulator) near8 (select$4 near2 ((mosfet or (metal adj oxide adj semiconducor adj (fet or field)) or pmos or cmos or nmos or misfet) or transistor))) and (@ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB